

RUCKERSVILLE™ PREMIUM

- * PRECISE BLEND OF CAREFULLY SCREENED NATIVE SOIL MATERIALS AND CALCINED CLAY CONDITIONER (ONE TON OF CALCINED CLAY CONDITIONER TO 20-25 TONS OF INFIELD MIX)
- * AVAILABLE IN RICH RED/BROWN COLOR
- * EXCELLENT WATER HOLDING CAPACITY
- * CONSISTENT TEXTURE AND FREE OF DELETERIOUS MATERIALS

TYPICAL ANALYSIS

Sand.....	65-70 %
Silt.....	15-20 %
Clay.....	10-15 %
USDA Classification.....	Sandy Loam
Moisture.....	16.8 %

AVERAGE % PASSING

3.75 mm.....	100.0 %
2.36 mm.....	93.1 %
1.18 mm.....	82.4 %
0.60 mm.....	72.6 %
0.30 mm.....	62.9 %
0.15 mm.....	47.7 %
0.075 mm.....	29.5 %

GENERAL INFORMATION

Composition	Native Soil Materials Calcined Clay
Bulk Density*	1.4 tons/yd ³
Textural Classification	Sandy Loam
Maximum Particle Size	3.75 mm

*Rate prior to compaction



APPLICATION

For new installation of ball fields and topdressing of existing ball fields.

Helpful Hints

To dress a skinned infield, a one inch depth generally requires 50 tons of Ruckersville™ Premium.

For more information on Luck Specialty Products, please visit specialty.luckstone.com.

These products are mixes of natural materials, so results may vary.